CLEENOL For a cleaner, safer world

SAFETY DATA SHEET EVOLUTION MULTI-SURFACE CLEANER & DEGREASER

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	EVOLUTION MULTI-SURFACE CLEANER & DEGREASER	
Internal identification	EV2	
Container size	2x1.5L	
UFI	UFI: C6A1-9001-V00N-KD60	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
Identified uses	Cleaning agent.	
1.3. Details of the supplier of	the safety data sheet	
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk	
1.4. Emergency telephone nu	mber	
Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct via 111 (UK only).	
SECTION 2: Hazards identific	cation	
2.1. Classification of the subs	tance or mixture	
Classification (SI 2019 No. 72		
Physical hazards	Not Classified	
Health hazards	Acute Tox. 4 - H302 Eye Dam. 1 - H318	
Environmental hazards	Aquatic Chronic 3 - H412	
2.2. Label elements		
Hazard pictograms		
Signal word	Danger	
Hazard statements	H302 Harmful if swallowed. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.	

Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Contains	ALCOHOLS, C12-C14, ETHOXYLATED
Detergent labelling	Contains BRONOPOL (INN)
Supplementary precautionary statements	P310 Immediately call a POISON CENTER/ doctor. P330 Rinse mouth. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ALCOHOLS, C12-C14, ETHOXYLATED		30-60%
CAS number: 68439-50-9	EC number: 500-213-3	
Classification		
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		
Aquatic Chronic 3 - H412		
2-(2-BUTOXYETHOXY)ETHANO		5-10%
CAS number: 112-34-5	- EC number: 203-961-6	
Classification		
Eye Irrit. 2 - H319		
β-ALANINE, N-(2-CARBOXYETH DERIV., DISODIUM SALT	YL)-, N-COCO ALKYL	5-10%
CAS number: 90170-43-7	EC number: 290-476-8	
Classification		
Eye Irrit. 2 - H319		

BRONOPOL (INN)		<1%
CAS number: 52-51-7	EC number: 200-143-0	
M factor (Acute) = 10		
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 3 - H331		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Give a few small glasses of water or milk to drink. Get medical attention.
Skin contact	Rinse with water. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist.
Protection of first aiders	No specific requirements are anticipated under normal conditions of use.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	Considered to be a low inhalation hazard at normal workplace temperatures. May cause respiratory irritation.
Ingestion	Harmful if swallowed.
Skin contact	No adverse effects known. Prolonged and frequent contact may cause redness and irritation.
Eye contact	Causes serious eye damage.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
Specific treatments	Treat symptomatically.
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing None known.

media

5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	Irritating gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Fight fire with normal precautions from a reasonable distance.
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Firefighter's clothing will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid contact with eyes and prolonged skin contact. Do not touch or walk into spilled material. Take care as floors and other surfaces may become slippery. Wash thoroughly after dealing with a spillage.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Harmful to aquatic life. Avoid discharge to the aquatic environment.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Absorb spillage with non-combustible, absorbent material. Dispose of waste via a licensed waste disposal contractor. Flush contaminated area with plenty of water.
6.4. Reference to other section	
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Avoid contact with eyes and prolonged skin contact. For professional users only.
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Keep only in the original container in a cool, well-ventilated place.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure control	s/Personal protection
8.1 Control parameters	

8.1. Control parameters

Occupational exposure limits

2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³ Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment that provides appropriate eye and face protection should be worn.
Hand protection	No specific requirements are anticipated under normal conditions of use. For users with sensitive skin, it is recommended that suitable protective gloves are worn. Wear protective gloves made of the following material: Rubber (natural, latex). Nitrile rubber.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.
Respiratory protection	No specific requirements are anticipated under normal conditions of use. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance	Coloured liquid.	
Colour	Amber.	
Odour	Detergent.	
рН	pH (concentrated solution): 9 - 10	
Initial boiling point and range	100°C @ 760 mm Hg	
Flash point	Not applicable.	
Other flammability	Not applicable.	
Relative density	~ 1.04 @ 20°C	
Solubility(ies)	Soluble in water.	
Auto-ignition temperature	Not applicable.	
Explosive properties	Not applicable.	
Oxidising properties	Does not meet the criteria for classification as oxidising.	
9.2. Other information		
Refractive index	45 - 47	
Volatile organic compound	This product contains a maximum VOC content of 10 %.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	

10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition	n products
Hazardous decomposition products	Does not decompose when used and stored as recommended.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	Information given is based on data of the components and of similar products.
Acute toxicity - oral	
ATE oral (mg/kg)	1,355.01
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye damage.
Inhalation	The product is considered to be a low hazard under normal conditions of use.
Ingestion	Harmful if swallowed.
Skin contact	Skin irritation should not occur when used as recommended. Prolonged and frequent contact may cause redness and irritation.
Eye contact	Causes serious eye damage.
SECTION 12: Ecological inform	nation
Ecotoxicity	The product contains a substance which is harmful to aquatic organisms.
12.1. Toxicity	
Toxicity	Harmful to Aquatic Organisms
12.2. Persistence and degrada	
Persistence and degradability	
12.3. Bioaccumulative potentia	
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	The product is soluble in water.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment metho	ods
General information	Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Discharge of small quantities to the sewer with plenty of water may be permitted.
SECTION 14: Transport info	rmation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping na	me
Not applicable.	
14.3. Transport hazard class	s <u>(es)</u>
No transport warning sign re	quired.
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	<u>5</u>
Environmentally hazardous s	substance/marine pollutant
14.6. Special precautions for	· user
Not applicable.	
14.7. Transport in bulk accor	rding to Annex II of MARPOL and the IBC Code
Transport in bulk according t Annex II of MARPOL 73/78 and the IBC Code	o Not applicable.

7/8

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Guidance	EH40/2005 Workplace exposure limits
	Containing the list of workplace exposure limits for use with the Control of Substances
	Hazardous to Health Regulations 2002 (as amended)
	Health and Safety Executive
	Health and Safety Executive

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Issued by	Regulatory Chemist
Revision date	05/08/2021
Revision	21
Supersedes date	08/07/2021
SDS number	10179
Hazard statements in full	 H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.