# **CLEENOL** For a cleaner, safer world

# SAFETY DATA SHEET **EVOLUTION ANTIBACTERIAL WASHING UP LIQUID**

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Product name EVOLUTION ANTIBACTERIAL WASHING UP LIQUID** 

Internal identification EV4

Container size 2x1.5L

UFI: JAC1-U0Y6-V002-5US2 UFI

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

> Neville House **Beaumont Road** Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

**Emergency telephone** In case of a medical emergency following exposure to a chemical, call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

# SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Skin Corr. 1A - H314 Eye Dam. 1 - H318 Health hazards

**Environmental hazards** Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms





Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** P260 Do not breathe vapour/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

COCODIETHANOLAMIDE, ALCOHOLS, C12-C14, ETHOXYLATED, Alkyl (C12-16)

dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16))

Supplementary precautionary

statements

P264 Wash contaminated skin thoroughly after handling.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see medical advice on this label).

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

#### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

COCODIETHANOLAMIDE 10-30%

CAS number: — EC number: 931-329-6 REACH registration number: 01-

2119490100-53-0018

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411

#### ALCOHOLS, C12-C14, ETHOXYLATED

10-30%

CAS number: 68439-50-9 EC number: 500-213-3

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412 Revision date: 28/07/2021 Revision: 20 Supersedes date: 04/06/2021

# **EVOLUTION ANTIBACTERIAL WASHING UP LIQUID**

Alkyl (C12-16) dimethylbenzyl ammonium chloride

9.0%

(ADBAC/BKC (C12-16))

M factor (Acute) = 10 M factor (Chronic) = 1

Classification

Acute Tox. 4 - H302 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

# Didecyldimethylammonium chloride (DDAC)

0.40%

CAS number: 7173-51-5 EC number: 230-525-2

M factor (Acute) = 10

#### Classification

Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

# 4.1. Description of first aid measures

**Inhalation** Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get

medical attention if a large quantity has been ingested.

Skin contact Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if

symptoms are severe or persist.

Eye contact Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids

wide apart. Continue to rinse. Get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** Considered to be a low inhalation hazard at normal workplace temperatures.

**Ingestion** Corrosive. May be harmful if swallowed.

**Skin contact** Causes severe burns.

Eye contact Causes serious eye damage.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

**Specific treatments** Treat symptomatically.

Revision date: 28/07/2021 Revision: 20 Supersedes date: 04/06/2021

# **EVOLUTION ANTIBACTERIAL WASHING UP LIQUID**

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards Irritating gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Fight fire with normal precautions from a reasonable distance. Control run-off water by

containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will

provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes and prolonged skin contact. Take care as floors and other surfaces

may become slippery. Do not touch or walk into spilled material.

#### 6.2. Environmental precautions

**Environmental precautions**The product contains a substance which is toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment. Avoid discharge to the aquatic

environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Dispose of

contents/container in accordance with local regulations. Flush contaminated area with plenty of water. Avoid contamination of ponds or watercourses with washing down water. Wash

thoroughly after dealing with a spillage.

# 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Usage precautions For professional users only. Avoid contact with eyes and prolonged skin contact.

Advice on general occupational hygiene

Wash contaminated skin thoroughly after handling.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from

freezing and direct sunlight.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

**Ingredient comments** No exposure limits known for ingredient(s).

# 8.2. Exposure controls

# Protective equipment





Appropriate engineering

controls

Not applicable.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Personal protective equipment for eye and face protection should

comply with European Standard EN166.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn. Wear protective

gloves made of the following material: Rubber (natural, latex). Nitrile rubber. To protect hands

from chemicals, gloves should comply with European Standard EN374.

Hygiene measures Good personal hygiene procedures should be implemented. Wash contaminated skin

thoroughly after handling.

**Respiratory protection** No specific requirements are anticipated under normal conditions of use.

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Straw.

Odour Almost odourless.

**pH** pH (concentrated solution): 9 - 11

Initial boiling point and range 100°C @ 760 mm Hg

Flash point Not applicable.

**Relative density** 1.002 - 1.008 @ 20°C

Solubility(ies) Soluble in water.

Auto-ignition temperature Not applicable.

Viscosity Non-viscous.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index 30 - 32

**Volatile organic compound** This product contains a maximum VOC content of <1 %.

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

Revision date: 28/07/2021 Revision: 20 Supersedes date: 04/06/2021

# **EVOLUTION ANTIBACTERIAL WASHING UP LIQUID**

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended.

# SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** Information given is based on data of the components and of similar products.

Acute toxicity - oral

**ATE oral (mg/kg)** 2,525.25

Skin corrosion/irritation

**Skin corrosion/irritation** Causes severe burns.

Extreme pH Moderate pH ( > 2 and < 11.5).

Serious eye damage/irritation

**Serious eye damage/irritation** Causes serious eye damage.

**Inhalation** Considered to be a low inhalation hazard at normal workplace temperatures.

**Ingestion** Corrosive. May be harmful if swallowed.

**Skin contact** Causes severe burns.

**Eye contact** Causes serious eye damage.

Route of exposure Skin and/or eye contact

# SECTION 12: Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

12.1. Toxicity

**Toxicity** Very toxic to aquatic organisms.

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

#### 12.4. Mobility in soil

**Mobility** The product is soluble in water.

# 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

Other adverse effects Not applicable.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

General information Care should be taken when handling emptied containers that have not been thoroughly

cleaned or rinsed out.

**Disposal methods**Dispose of contents/container in accordance with local regulations. Following dilution,

discharge to the sewer with plenty of water may be permitted.

#### **SECTION 14: Transport information**

#### 14.1. UN number

**UN No. (ADR/RID)** 1760

**UN No. (IMDG)** 1760

**UN No. (ICAO)** 1760

**UN No. (ADN)** 1760

# 14.2. UN proper shipping name

Proper shipping name

CORROSIVE LIQUID, N.O.S. (ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM

(ADR/RID) CHLORIDE)

Proper shipping name (IMDG) CORROSIVE LIQUID, N.O.S. (ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM

CHLORIDE)

Proper shipping name (ICAO) CORROSIVE LIQUID, N.O.S. (ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM

CHLORIDE)

Proper shipping name (ADN) CORROSIVE LIQUID, N.O.S. (ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM

CHLORIDE)

# 14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C9

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

#### Transport labels



#### 14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group

ADN packing group

# 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



#### 14.6. Special precautions for user

EmS F-A, S-B

ADR transport category 3

Emergency Action Code 2X

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

mandad)

amended).

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

2004 on detergents (as amended).

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products (as amended).

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# SECTION 16: Other information

Issued by Regulatory Chemist

Revision date 28/07/2021

Revision 20

Supersedes date 04/06/2021

SDS number 10183

Hazard statements in full H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.