

# Safety Data Sheet

According to Regulation (EC) No 1907/2006

# Taski Sani Des Conc W9a

Revision: 2021-11-30

Version: 06.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade Name: Taski Sani Des Conc W9a

UFI: KEN5-T0Q2-A00X-3TYK

 1.2 Relevant identified uses of the substance or mixture and uses advised against

 Product use:
 Restroom/bathroom cleaner.

 Uses advised against:
 Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_1\_1 AISE\_SWED\_PW\_8a\_1 AISE\_SWED\_PW\_11\_1 AISE\_SWED\_PW\_19\_1

**1.3 Details of the supplier of the safety data sheet** Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains n-alkyl dimethyl benzyl ammonium chloride (Benzalkonium Chloride), isotridecanol, ethoxylated (7-10EO) (Trideceth 7-10), Lemon oil (Citrus Limon Fruit Oil)

#### Hazard statements:

H315 - Causes skin irritation. H318 - Causes serious eye damage. EUH208 - May produce an allergic reaction. H410 - Very toxic to aquatic life with long lasting effects. H290 - May be corrosive to metals.

#### **Precautionary statements:**

P280 - Wear eye or face protection. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

#### 2.3 Other hazards

No other hazards known.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS #	REACH number	Classification	Notes	Weight %
n-alkyl dimethyl benzyl ammonium chloride	270-325-2	68424-85-1	[6]	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Eye Dam. 1 (H318) Aquatic Acute 1 M=10 (H400) Aquatic Chronic 1 (H410)		3-10
Trisodium citrate	200-675-3	68-04-2	[1]	Not classified		3-10
isotridecanol, ethoxylated (7-10EO)	[4]	69011-36-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		3-10
Sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)		1-3
Lemon oil		8008-56-8	-	Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		0.1-1

#### Specific concentration limits

isotridecanol, ethoxylated (7-10EO):

• Eye Dam. 1 (H318) >= 10% > Eye Irrit. 2 (H319) >= 1%

Workplace exposure limit(s), if available, are listed in subsection 8.1. ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

in Decemption of mot and modeu	
Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Take off immediately all contaminated clothing and wash it before reuse.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and	l effects, both acute and delayed
Inhalation:	No known effects or symptoms in normal use.
Olde contects	Courses invitation

Skin contact: Causes irritation. Eye contact: Causes severe or permanent damage. Ingestion:

No known effects or symptoms in normal use.

#### 4.3 Indication of immediate medical attention and notes for physician.

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

#### No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable gloves. Wear eye/face protection.

#### 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

#### 6.3 Methods and material for containment and cleaning up

Dike to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

## Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe spray. Use only with adequate ventilation. See section 8.2, Exposure controls / Personal protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original container. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 100 Comah - Upper Tier requirements (tonnes): 200

#### 7.3 Specific end use(s)

No specific advice for end use available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

#### Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

### DNEL/DMEL and PNEC values

Human exposure DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
n-alkyl dimethyl benzyl ammonium chloride	-	-	-	3.4
Trisodium citrate	-	-	-	-
isotridecanol, ethoxylated (7-10EO)	-	-	-	-
Sodium carbonate	-	-	-	-
Lemon oil	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker

	Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
--	---------------	--------------------	-----------------------	-------------------	----------------------

#### Taski Sani Des Conc W9a

	effects	effects	effects	effects
n-alkyl dimethyl benzyl ammonium chloride	-	-	-	5.7
Trisodium citrate	No data available	-	No data available	-
isotridecanol, ethoxylated (7-10EO)	-	-	-	-
Sodium carbonate	-	-	No data available	-
Lemon oil	No data available	No data available	No data available	No data available

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
n-alkyl dimethyl benzyl ammonium chloride	-	-	-	3.4
Trisodium citrate	No data available	-	No data available	-
isotridecanol, ethoxylated (7-10EO)	-	-	-	-
Sodium carbonate	No data available	-	No data available	-
Lemon oil	No data available	No data available	No data available	No data available

#### DNEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects (mg/m <sup>3</sup> )
n-alkyl dimethyl benzyl ammonium chloride	-	-	-	3.96
Trisodium citrate	-	-	-	-
isotridecanol, ethoxylated (7-10EO)	-	-	-	-
Sodium carbonate	-	-	10	-
Lemon oil	No data available	No data available	No data available	No data available

#### DNEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects (mg/m <sup>3</sup> )
n-alkyl dimethyl benzyl ammonium chloride	-	-	-	1.64
Trisodium citrate	-	-	-	-
isotridecanol, ethoxylated (7-10EO)	-	-	-	-
Sodium carbonate	10	-	-	-
Lemon oil	No data available	No data available	No data available	No data available

# Environmental exposure Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
n-alkyl dimethyl benzyl ammonium chloride	0.0009	0.00096	0.00016	0.4
Trisodium citrate	-	-	-	-
isotridecanol, ethoxylated (7-10EO)	-	-	-	-
Sodium carbonate	-	-	-	-
Lemon oil	No data available	No data available	No data available	No data available

#### Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
n-alkyl dimethyl benzyl ammonium chloride	12.27	13.09	7	-
Trisodium citrate	-	-	-	-
isotridecanol, ethoxylated (7-10EO)	-	-	-	-
Sodium carbonate	-	-	-	-
Lemon oil	No data available	No data available	No data available	No data available

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engi	neering controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Avoid direct contact and/or splashes where possible. Train personnel. Appropriate organisational controls:

#### **REACH use scenarios considered for the undiluted product:**

Contributing scenario, undiluted	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				

Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a
Manual transfer and dilution	AISE_SWED_PW_1_1	PW	PROC 1	60	ERC8a

Personal protective equipment Eve / face protection:

Eye / face protection:	Safety glasses or goggles (EN 166).
Hand protection:	Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
	Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material
	thickness: ≥ 0.7 mm
	Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: $\geq$ 30 min Material thickness: $\geq$ 0.4 mm
	In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.
Environmental exposure controls:	Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Maximum recommended use concentration (% w/w): 4

Appropriate engineering controls:	Provide a good standard of general ventilation.
Appropriate organisational controls:	No special requirements under normal use conditions.

#### REACH use scenarios considered for the diluted product:

Contributing scenario, diluted	SWED	LCS	PROC	Duration (min)	ERC
Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment	
Eye / face protection:	No special requirements under normal use conditions.
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available

Environmental exposure controls:

Should not reach sewage water or drainage ditch undiluted.

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical State: Liquid Color: Clear , Red Odor: Product specific Odor threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product

See substance data

Substance data, boiling point			
Ingredient(s)	Value	Method	Atmospheric pressure
n-alkyl dimethyl benzyl ammonium chloride	(°C) > 107	Method not given	(hPa)
		Method hot given	
Trisodium citrate	No data available		
isotridecanol, ethoxylated (7-10EO)	> 200	Method not given	
Sodium carbonate	1600	Method not given	1013
Lemon oil	No data available		

Flammability (solid, gas): Not applicable to liquids
Flammability (liquid): Not flammable.
Flash point (°C): > 100 °C
Sustained combustion: The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)

Method / remark

Method / remark

closed cup Weight of evidence

#### Lower and upper explosion limit/flammability limit (%): Not determined

See substance data

Substance data, flammability or explosive limits, if available:		
Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
n-alkyl dimethyl benzyl ammonium chloride	-	-

	Method / remark
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable	
<b>pH:</b> ≈ 11 (neat)	ISO 4316
Dilution pH: $\approx$ 11 (4 %)	ISO 4316
Kinematic viscosity: ≈ 40 mPa.s (20 °C)	
Solubility in / Miscibility with Water: Fully miscible	

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
n-alkyl dimethyl benzyl ammonium chloride	Soluble	Method not given	
Trisodium citrate	No data available		
isotridecanol, ethoxylated (7-10EO)	Soluble	Method not given	20
Sodium carbonate	210-215	Method not given	20
Lemon oil	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

#### Vapor pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
n-alkyl dimethyl benzyl ammonium chloride	2300	Method not given	20
Trisodium citrate	No data available		
isotridecanol, ethoxylated (7-10EO)	Negligible	Method not given	20-25
Sodium carbonate	Negligible		
Lemon oil	No data available		

Relative density: ≈ 1.05 (20 °C) Relative vapor density: -. Particle characteristics: No data available.

9.2 Other information

#### 9.2.1 Information with regard to physical hazard classes

 Explosive properties:
 Not explosive. Vapors may form explosive mixtures with air.

 Oxidising properties:
 Not oxidising.

 Corrosion to metals:
 Metal corrosive

Method / remark

Method / remark

See substance data

OECD 109 (EU A.3) Not relevant to classification of this product Not applicable to liquids.

9.2.2 Other safety characteristics

No other relevant information available.

#### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### **10.5 Incompatible materials**

May be corrosive to metals.

#### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Mixture data:.

### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000 ATE - Dermal (mg/kg): >2000

# Skin irritation and corrosivityResult:Skin irritant 2Species:Not applicable

Method: Weight of Evidence

Substance data, where relevant and available, are listed below:.

#### Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
n-alkyl dimethyl benzyl ammonium chloride	LD 50	304.5	Rat			4300
Trisodium citrate	LD 50	5400		OECD 401 (EU B.1)		Not established
isotridecanol, ethoxylated (7-10EO)	LD 50	> 300-2000	Rat	OECD 423 (EU B.1 tris)		18000
Sodium carbonate	LD 50	2800	Rat	OECD 401 (EU B.1)		340000
Lemon oil		No data available				Not established

#### Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
n-alkyl dimethyl benzyl ammonium chloride	LD 50	3412	Rabbit	Method not given		15000
Trisodium citrate		No data available				Not established
isotridecanol, ethoxylated (7-10EO)	LD 50	> 2000	Rabbit	Method not given		Not established
Sodium carbonate	LD 50	> 2000	Rabbit	Method not given		Not established
Lemon oil		No data available				Not established

#### Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
n-alkyl dimethyl benzyl ammonium chloride		No data available			
Trisodium citrate		No data available			
isotridecanol, ethoxylated (7-10EO)		No data available			
Sodium carbonate	LC 50	> 2.3 (dust)		Weight of evidence	2
Lemon oil		No data available			

#### Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapor (mg/l)	(mg/l)
n-alkyl dimethyl benzyl ammonium chloride	Not established	Not established	Not established	Not established
Trisodium citrate	Not established	Not established	Not established	Not established
isotridecanol, ethoxylated (7-10EO)	Not established	Not established	Not established	Not established
Sodium carbonate	Not established	Not established	Not established	Not established
Lemon oil	Not established	Not established	Not established	Not established

#### Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
n-alkyl dimethyl benzyl ammonium chloride	Corrosive	Rabbit	Method not given	
Trisodium citrate	No data available			
isotridecanol, ethoxylated (7-10EO)	Not irritant	Rabbit	OECD 404 (EU B.4)	
Sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
Lemon oil	No data available			

#### Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
n-alkyl dimethyl benzyl ammonium chloride	Severe damage		Method not given	
Trisodium citrate	No data available			
isotridecanol, ethoxylated (7-10EO)	Severe damage	Rabbit	Method not given	
Sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
Lemon oil	No data available			

#### Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
n-alkyl dimethyl benzyl ammonium chloride	No data available			
Trisodium citrate	No data available			
isotridecanol, ethoxylated (7-10EO)	No data available			
Sodium carbonate	No data available			
Lemon oil	No data available			

# Sensitisation

Sensitisation				
Sensitisation by skin contact Ingredient(s)	Result	Species	Method	Exposure time (h)
n-alkyl dimethyl benzyl ammonium chloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			Buehler test	
Trisodium citrate	No data available			
isotridecanol, ethoxylated (7-10EO)	Not sensitising	Guinea pig	Method not given	
Sodium carbonate	Not sensitising		Method not given	
Lemon oil	No data available			

#### Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
n-alkyl dimethyl benzyl ammonium chloride	No data available			
Trisodium citrate	No data available			
isotridecanol, ethoxylated (7-10EO)	No data available			
Sodium carbonate	No data available			
Lemon oil	No data available			

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
		OECD 471 (EU B.12/13) OECD 476 OECD 473	test results	OECD 474 (EU B.12)
Trisodium citrate	No data available		No data available	
	No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	Method not given
Sodium carbonate	No data available		No data available	
Lemon oil	No data available		No data available	

#### Carcinogenicity

Ingredient(s)	Effect
n-alkyl dimethyl benzyl ammonium chloride	No data available
Trisodium citrate	No data available
isotridecanol, ethoxylated (7-10EO)	No evidence for carcinogenicity, weight-of-evidence
Sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
Lemon oil	No data available

#### Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
n-alkyl dimethyl benzyl ammonium chloride			No data available				
Trisodium citrate			No data available				
isotridecanol, ethoxylated (7-10EO)	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
Sodium carbonate			No data available				
Lemon oil			No data available				

# Repeated dose toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Trisodium citrate		No data available				
isotridecanol, ethoxylated (7-10EO)		No data available				
Sodium carbonate		No data available				
Lemon oil		No data available				

#### Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Trisodium citrate		No data available				
isotridecanol, ethoxylated (7-10EO)		No data available				
Sodium carbonate		No data available				
Lemon oil		No data available				

#### Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
n-alkyl dimethyl benzyl ammonium chloride		No data				
		available				
Trisodium citrate		No data				
		available				
isotridecanol, ethoxylated (7-10EO)		No data				
		available				
Sodium carbonate		No data				
		available				
Lemon oil		No data				
		available				

Chronic toxicity								
Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
n-alkyl dimethyl benzyl ammonium chloride			No data available					
Trisodium citrate			No data available					
isotridecanol, ethoxylated (7-10EO)	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
Sodium carbonate			No data available					
Lemon oil			No data available					

#### STOT-single exposure

Ingredient(s)	Affected organ(s)
n-alkyl dimethyl benzyl ammonium chloride	No data available
Trisodium citrate	No data available
isotridecanol, ethoxylated (7-10EO)	Not applicable
Sodium carbonate	No data available
Lemon oil	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
n-alkyl dimethyl benzyl ammonium chloride	No data available
Trisodium citrate	No data available
isotridecanol, ethoxylated (7-10EO)	Not applicable
Sodium carbonate	No data available
Lemon oil	No data available

#### Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

#### Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

#### 11.2 Information on other hazards

**11.2.1 Endocrine disrupting properties** Endocrine disrupting properties - Human data, if available:

**11.2.2 Other information** No other relevant information available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

#### Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
n-alkyl dimethyl benzyl ammonium chloride	LC 50	0.515	Fish	Method not given	96
Trisodium citrate	LC 50	10		Weight of evidence	
isotridecanol, ethoxylated (7-10EO)	LC 50	1 - 10	Cyprinus carpio	OECD 203 (EU C.1)	96
Sodium carbonate	LC 50	300	Lepomis macrochirus	Method not given	96
Lemon oil		No data available			

Aquatic short-term toxicity - crustacea					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
n-alkyl dimethyl benzyl ammonium chloride	EC 50	0.016	Daphnia	Method not given	48
Trisodium citrate	EC 50	> 50		Weight of evidence	
isotridecanol, ethoxylated (7-10EO)	EC 50	1 - 10	Daphnia magna Straus	OECD 202, static	48
Sodium carbonate	EC 50	200-227	Ceriodaphnia dubia	Method not given	96
Lemon oil		No data available			

#### Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
n-alkyl dimethyl benzyl ammonium chloride	EC 50	0.02	Selenastrum capricornutum	OECD 201 (EU C.3)	72
Trisodium citrate	EC 50	425		Weight of evidence	
isotridecanol, ethoxylated (7-10EO)	EC 50	1 - 10	Desmodesmus subspicatus	OECD 201, static	72
Sodium carbonate		No data available			
Lemon oil		No data available			

#### Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
n-alkyl dimethyl benzyl ammonium chloride		No data available			
Trisodium citrate		No data available			
isotridecanol, ethoxylated (7-10EO)		No data available			
Sodium carbonate		No data available			
Lemon oil		No data available			

Impact on sewage plants - toxicity to bacteria

#### Taski Sani Des Conc W9a

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
n-alkyl dimethyl benzyl ammonium chloride	EC 20	5	Activated sludge	OECD 209	0.5 hour(s)
Trisodium citrate		No data available			
isotridecanol, ethoxylated (7-10EO)	EC 10	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
Sodium carbonate		No data available			
Lemon oil		No data available			

#### Aquatic long-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Trisodium citrate		No data available				
isotridecanol, ethoxylated (7-10EO)		No data available				
Sodium carbonate		No data available				
Lemon oil		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
n-alkyl dimethyl benzyl ammonium chloride	NOEC	0.025	Daphnia magna	OECD 211	21 day(s)	
Trisodium citrate		No data available				
isotridecanol, ethoxylated (7-10EO)		No data available				
Sodium carbonate		No data available				
Lemon oil		No data available				

#### Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Trisodium citrate		No data available				
isotridecanol, ethoxylated (7-10EO)		No data available				
Sodium carbonate		No data available				
Lemon oil		No data available				

Terrestrial toxicity Terrestrial toxicity - earthworms, if available: Ingredient(s) Value (mg/kg dw soil) Method Exposure time (days) Effects observed Endpoint Species n-alkyl dimethyl benzyl ammonium chloride No data available isotridecanol, ethoxylated (7-10EO) NOEC Eisenia fetida 220 Sodium carbonate No data available

#### Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				
isotridecanol, ethoxylated (7-10EO)	NOEC	10	Lepidium sativum	OECD 208		
Sodium carbonate		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data				
		available				
Sodium carbonate		No data				
		available				

#### Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	
n-alkyl dimethyl benzyl ammonium chloride		No data				
		available				
Sodium carbonate		No data				
		available				

#### Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Sodium carbonate		No data available				

# 12.2 Persistence and degradability

# Abiotic degradation

IDIOTIC degradation								
Abiotic degradation - photodegradation in air, if available:								
Ingredient(s)	Half-life time	Method	Evaluation	Remark				
n-alkyl dimethyl benzyl ammonium chloride	No data available							
Sodium carbonate	No data available							

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
n-alkyl dimethyl benzyl ammonium chloride	No data available			
Sodium carbonate	No data available		Rapidly hydrolysible	

#### Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
n-alkyl dimethyl benzyl		No data available			
ammonium chloride					
Sodium carbonate		No data available			

# Biodegradation Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
n-alkyl dimethyl benzyl ammonium chloride		Oxygen depletion	> 60%	Read across	Readily biodegradable
Trisodium citrate		DOC reduction	97 % in 28 day(s)	OECD 301E	Readily biodegradable
isotridecanol, ethoxylated (7-10EO)	Activated sludge, aerobe	CO <sub>2</sub> production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
Sodium carbonate					Not applicable (inorganic substance)
Lemon oil					No data available

#### Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
n-alkyl dimethyl benzyl ammonium chloride					No data available
Sodium carbonate					No data available

#### Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
n-alkyl dimethyl benzyl ammonium chloride					No data available
Sodium carbonate					No data available

#### 12.3 Bioaccumulative potential

Ingredient(s)	Value	Method	Evaluation	Remark
n-alkyl dimethyl benzyl ammonium chloride	2.88	OECD 107	No bioaccumulation expected	
Trisodium citrate	No data available			
isotridecanol, ethoxylated (7-10EO)	-		No bioaccumulation expected	
Sodium carbonate	No data available		No bioaccumulation expected	
Lemon oil	No data available			

#### Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
n-alkyl dimethyl benzyl	0.5		Method not given	No bioaccumulation expected	
ammonium chloride					
Trisodium citrate	No data available				
isotridecanol, ethoxylated (7-10EO)	-			No bioaccumulation expected	
Sodium carbonate	No data available			No bioaccumulation expected	
Lemon oil	No data available				

#### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
n-alkyl dimethyl benzyl ammonium chloride	No data available				
Trisodium citrate	No data available				
isotridecanol, ethoxylated (7-10EO)	No data available				Immobile in soil or sediment
Sodium carbonate	No data available				Potential for mobility in soil, soluble in water
Lemon oil	No data available				

#### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Endocrine disrupting properties** Endocrine disrupting properties - Environmental effects, if available:

#### 12.7 Other adverse effects

No other adverse effects known.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

 

 Waste from residues / unused products
 The concentrated contents or contaminated packaging should be disposed of by a certified handler (undiluted product):

 or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

 European Waste Catalogue:
 20 01 29\* - detergents containing dangerous substances.

Empty packaging Recommendation: Suitable cleaning agents:

Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

#### **SECTION 14: Transport information**



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR) 14.1 UN number: 3267 14.2 UN proper shipping name:

Corrosive liquid, basic, organic, n.o.s. (trisodium citrate, alkyldimethylbenzylammoniumchloride)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III 14.5 Environmental hazards:

- Environmentally hazardous: Yes
- Marine pollutant: Yes
- 14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information: ADR Classification code: C7 Tunnel restriction code: E Hazard identification number: 80 IMO/IMDG EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations :

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Biocidal Products Regulations 2001 (SI 2001/880)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
   Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

International Maritime Dangerous Goods (IMDG) Code

#### Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

#### Ingredients according to Detergents Regulation

non-ionic surfactants

Parfum, disinfectants, Hexyl Cinnamal, Limonene, Alpha-Isomethyl Ionone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

### **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Version: 06.0

**SDS #:** MSDS5910

#### Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 2, 3, 4, 6, 7, 8, 15, 16

#### **Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Full text of the H and EUH phrases mentioned in section 3:

# H302 - Harmful if swallowed. H304 - May be fatal if swallowed and enters airways.

- H304 May be fatal if swallowed an
  H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.

Revision: 2021-11-30

5 - 15 %

- H319 Causes serious eye irritation.
  H400 Very toxic to aquatic life.
  H410 Very toxic to aquatic life with long lasting effects.
- Abbreviations and acronyms:
- AISE The international Association for Soaps, Detergents and Maintenance Products
   ATE Acute Toxicity Estimate
   DNEL Derived No Effect Level
   EC50 effective concentration, 50%

- ERC Environmental release categories EUH CLP Specific hazard statement
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration

- LC50 Lethal Concentration, 50% / Median Lethal Concentration
  LC5 Life cycle stage
  LD50 Lethal Dose, 50% / Median Lethal dose
  NOAEL No observed adverse effect level
  NOEL No observed effect level
  OECD Organization for Economic Cooperation and Development
  PBT Persistent, Bioaccumulative and Toxic
  PNEC Predicted No Effect Concentration
  PROC Process categories
  REACH number REACH registration number, without supplier specification

- REACH number REACH registration number, without supplier specific part
   vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet