

CLEENOL

For a cleaner, safer world

SAFETY DATA SHEET LIFT GRAFFITI REMOVER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	LIFT GRAFFITI REMOVER
Internal identification	057666
Container size	6x750ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cleaning agent.
-----------------	-----------------

1.3. Details of the supplier of the safety data sheet

Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk
----------	---

1.4. Emergency telephone number

Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Flam. Liq. 3 - H226
Health hazards	Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H336
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H336 May cause drowsiness or dizziness.

LIFT GRAFFITI REMOVER

Precautionary statements	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P261 Avoid breathing vapour/ spray.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p>
Contains	1-METHOXYPROPAN-2-OL, ALCOHOLS, C12-C14, ETHOXYLATED, ORANGE OIL, TERPENES, SWEET, EXT.
Supplementary precautionary statements	<p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P273 Avoid release to the environment.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P312 Call a POISON CENTRE/doctor if you feel unwell.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

1-METHOXYPROPAN-2-OL 60-80% CAS number: 107-98-2 EC number: 203-539-1 REACH registration number: 01-2119457435-35-XXXX
Classification Flam. Liq. 3 - H226 STOT SE 3 - H336
ETHANOL 5-10% CAS number: 64-17-5 EC number: 200-578-6 REACH registration number: 01-2119457610-43-XXXX
Classification Flam. Liq. 2 - H225
ALCOHOLS, C12-C14, ETHOXYLATED 1-5% CAS number: 68439-50-9 EC number: 500-213-3
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

LIFT GRAFFITI REMOVER

ORANGE OIL, TERPENES, SWEET, EXT.			1-5%
CAS number: 8028-48-6	EC number: 232-433-8	REACH registration number: 01-2119493353-35-XXXX	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411			

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing stops, provide artificial respiration. If in doubt, get medical attention promptly.
Ingestion	Do not induce vomiting. Give a few small glasses of water or milk to drink. Get medical attention if symptoms are severe or persist. Get medical attention if a large quantity has been ingested.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Vapours may cause drowsiness and dizziness.
Ingestion	No adverse effects known. No harmful effects expected from quantities likely to be ingested by accident.
Skin contact	May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	Water.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Flammable liquid and vapour. Irritating gases or vapours.
Hazardous combustion products	Irritating gases or vapours. Oxides of carbon.

LIFT GRAFFITI REMOVER

5.3. Advice for firefighters

Protective actions during firefighting Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or vapours.

Special protective equipment for firefighters Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Do not touch or walk into spilled material. Take care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Do not get in eyes, on skin, or on clothing. Avoid breathing vapour/spray.

Advice on general occupational hygiene Wash contaminated skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container. Do not store near heat sources or expose to high temperatures. Protect from freezing and direct sunlight.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

1-METHOXYPROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 100 ppm(Sk) 375 mg/m³(Sk)

Short-term exposure limit (15-minute): WEL 150 ppm(Sk) 560 mg/m³(Sk)

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Short-term exposure limit (15-minute): WEL

WEL = Workplace Exposure Limit.

ORANGE OIL, TERPENES, SWEET, EXT. (CAS: 8028-48-6)

LIFT GRAFFITI REMOVER

DNEL	Workers - Inhalation; Long term : 31.1 mg/m ³ Workers - Dermal; Long term : 8.89 mg/kg/day
PNEC	- Fresh water; 0.0054 mg/l - Sediment (Freshwater); 1.3 mg/kg - Sediment (Marinewater); 0.00054 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Good general ventilation should be adequate to control worker exposure to airborne contaminants.

Eye/face protection

No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection

Wear protective gloves made of the following material: Nitrile rubber. Rubber (natural, latex). To protect hands from chemicals, gloves should comply with European Standard EN374.

Respiratory protection

No specific requirements are anticipated under normal conditions of use. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Colourless.
Odour	Organic solvents.
pH	Not applicable.
Flash point	~ 28°C Pensky-Martens closed cup.
Relative density	0.909 - 0.919 @ 20°C
Solubility(ies)	Miscible with water.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Non-viscous.
Explosive properties	Not determined.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

The reactivity data for this product will be typical of those for the following class of materials: Organic solvents. Flammable/combustible materials. Organic compounds.

10.2. Chemical stability

Stability

Stable under the prescribed storage conditions.

LIFT GRAFFITI REMOVER

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Heating may cause a fire. Keep at temperature not exceeding 35°C.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Heating may generate flammable vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

ATE oral (mg/kg) 11,111.11

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Inhalation

May cause drowsiness or dizziness.

Medical considerations

Pre-existing eye problems. Skin disorders and allergies.

SECTION 12: Ecological information

Ecotoxicity The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

LIFT GRAFFITI REMOVER

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.

Disposal methods Following dilution, discharge to the sewer with plenty of water may be permitted. Larger quantities should be treated in a suitable plant or disposed of via a licensed waste disposal contractor.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1993
 UN No. (IMDG) 1993
 UN No. (ICAO) 1993
 UN No. (ADN) 1993

14.2. UN proper shipping name

Proper shipping name (ADR/RID) FLAMMABLE LIQUID, N.O.S. (CONTAINS 1-METHOXYPROPAN-2-OL, ETHANOL)
Proper shipping name (IMDG) FLAMMABLE LIQUID, N.O.S. (CONTAINS 1-METHOXYPROPAN-2-OL, ETHANOL)
Proper shipping name (ICAO) FLAMMABLE LIQUID, N.O.S. (CONTAINS 1-METHOXYPROPAN-2-OL, ETHANOL)
Proper shipping name (ADN) FLAMMABLE LIQUID, N.O.S. (CONTAINS 1-METHOXYPROPAN-2-OL, ETHANOL)

14.3. Transport hazard class(es)

ADR/RID class 3
 ADR/RID classification code F1
 ADR/RID label 3
 IMDG class 3
 ICAO class/division 3
 ADN class 3

Transport labels



14.4. Packing group

ADR/RID packing group III
 IMDG packing group III
 ICAO packing group III
 ADN packing group III

LIFT GRAFFITI REMOVER

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS	F-E, S-E
ADR transport category	3
Emergency Action Code	•3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
Guidance	EH40/2005 Workplace exposure limits Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended) Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	15/04/2021
Revision	18
Supersedes date	23/09/2020
SDS number	10200

LIFT GRAFFITI REMOVER

Hazard statements in full

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.